



SHRIRAM ELEVATOR

SAFE • SMOOTH • RELIABLE



• WE •
WELCOME
— YOU —



SAFETY

Your Safety is
Our Priority



QUALITY

Premium Quality
Assured



TRUST

Building Trust,
Lifting Lives



SERVICE

Reliable Service,
Always



ADVANCED TECHNOLOGY



EXPERT TEAM



CUSTOMER SATISFACTION

About Us



Shri Ram Elevator is a trusted name in the elevator industry, known for delivering safe, reliable, and advanced vertical transportation solutions for residential, commercial, and industrial projects. With years of experience and technical expertise, the company specializes in the design, installation, modernization, and maintenance of high-quality elevators that combine performance, safety, and modern technology.

Our Mission

Shri Ram Elevator, our mission is to provide safe, innovative, and high-quality elevator solutions that enhance comfort, convenience, and mobility in modern buildings. We are committed to delivering reliable vertical transportation systems with advanced technology, superior performance, and maximum passenger safety.

Our vision

Shri Ram Elevator, our vision is to become a leading and most trusted elevator company by delivering world-class vertical transportation solutions with innovation, safety, and excellence. We aim to set new standards in the elevator industry through advanced technology, superior quality, and customer-focused services.



Certificate of Registration

This is to certify that

SHRIRAM ELEVATOR

WARD NO. 01, NEAR SIRMAUR REMEDIES PVT. LTD., KIYARDA,
PAONTA SAHIB- 173025, HIMACHAL PRADESH (INDIA)

has been assessed and Certified by Arcade Management Certification
as meeting the requirements of:

ISO 9001:2015

Quality Management System

For the following scope of activities:

MANUFACTURING, SALES, INSTALLATION, MODERNIZATION & SERVICE
PROVIDER OF ELEVATORS, LIFTS, PASSENGER LIFT, AUTOMATIC LIFT,
MANUAL LIFT, HOSPITAL LIFT, HOME LIFT & HYDRAULIC LIFT, GOODS LIFT,
CAR LIFT, SERVICE PROVIDER & MODERNIZATION OF ELEVATOR

Date Of Registration: 13/02/2025
1st Surveillance Due: 12/02/2026

2nd Surveillance Due: 12/02/2027
Recertification Due: 12/02/2028

CERTIFICATE No:- 250213Q108

To Verify this certificate please visit at www.arcadecert.co.uk



Daniel Jobson

Authorised Signatory


Address: 106 Cunnery Rd, Manchester M60 6ZA, UK E-mail: info@arcadecert.co.uk

This certificate remains the property of Arcade management certification and shall be returned immediately on request. Validity of this certificate is subject to annual surveillance audits to be done successfully or on before due date of audit (Incase if surveillance audit is not conducted, this certificate shall be suspended/withdrawn)



Welcome to
the Future of
VERTICAL MOTION

Machine Room System (MR)




Geared Traction Machine

Machine Roomless System (MRL)



Gearless Machine

Hydraulic System (MRL)



Hydraulic Cylinder

SHRIRAM ELEVATORS COMES WITH MANY VARIABLE FEATURES



Door Frames :

DT Allianz Lifts come with elegant door frames in Stainless Steel or Mild Steel finishes that gives strength as well as enlarged appearance.



Infrared Door Detector :

A full height curtain of infrared beams to prevent accidental closing of the door.




Auto Shut off Car Light / Fan :

If there is no call for a specific period, the car lighting and ventilation Fan will automatically turn off to conserve energy.



Regenerative Converter :

For energy conservation, power generated by a traction machine can be used by other electrical systems in the building.



Over Load Indicator :

In case the lift is overloaded than its rated capacity an audible / visual signal turns on.



Supervisory Panel :

Each elevator status and operation can be remotely monitored and controlled through a panel installed in a building's supervisory room etc.



Automatic Rescue Device (ARD) :

Automatically takes the lift to the nearest level in case of power interruption, doors open to facilitate the safe evacuation of passengers.



VVf Controllers :

The Variable Voltage Variable Frequency (VVf) control ensures 50% energy savings. It also creates a super comfortable ride quality with jerk free starts and stops. Smooth acceleration and deceleration and no landing variations. In the long run, this prevents wear and tear of components which means less downtime and huge saving on spares.



Stainless Steel Buttons :

Sophisticated design buttons flush with backplate having Orange / Red illumination with engraved numbers. Highly temper resistance with / without braille markings.



VVf Door Controller :

Silken smooth door movement. Advanced features like adjustable independent times for opening and closing. Slow nudging feature ideal for high traffic situations.



LCD / TFT Position Indicators :

The LCD or TFT display of Car operating panel shows the car position, travel direction and elevator status message.



Floor Annunciator :

Recorded voice with music announces the floor number on arrival.



Inter communication system :

A system which allows communication between passengers inside the car and the building personnel.



Extended Door Open Button :

When the button inside the car is pressed the doors will remain open longer to allow loading and unloading of baggage, a stretcher etc.



Fire Emergency Operation :

To enable fire service personnel to take over complete control over the elevator.



Car Arrival Chime :

Electronic chimes sound to indicate that Car has arrived floor (for duplex only)



Emergency Car Lighting :

Car Lighting which turns on immediately when power fails, providing a minimum level of lighting within the car.



Cabin Designs

Freedom of designs

Create the look and feel you like. Combine colors, materials, lighting, mirrors, handrails and fixtures to achieve the ambiance that fits both your ideas and your building.

Choose from one of our four interior design lines or design the whole car to your own taste.




SRE-01

Stainless Steel & Half Glass Designer Cabin



SRE-02

M.S. & Glass Designer Cabin



SRE-03

Wooden & Glass Designer Cabin



SRE-04

Stainless Steel & Glass Designer Cabin




SRE-05

Stainless Steel & Glass Decorative Cabin



SRE-06

S.S. Hairline & Glass Designer Cabin





Automatic Door




Center Opening Auto Door (Small Vision)



Hairline Finish Telescopic Autodoor



Center Opening Plain S.S. Door



Rose Gold Center Opening Autodoor




Center Opening Auto Door (Four Panel)



Full Glass Door




Full Vision Glass Door



Half Glass Autodoor


Manual Door




Manual Imperforates Door



Manual Collapsible Door



Manual Telescopic Door



Manual Swing Door



M.S. Powder Coated Frame Full Glass Swing Door



Capsule Elevator

Smooth Operation Comfortable Travel

Our premium capsule elevators fast and highly cost-effective way to create a full-glass elevator solution for your building.

There are multiple car models to choose from, as well as a wide range of interior design options and other customization possibilities.

Available Rated Speed : 1.0 / 1.5 / 2 MPS
 Max Travel Height : 66 M
 Available Rated Capacity : 408 to 1088 Kgs
 Max Passengers : 06 to 16 Passengers




Square Glass Cabin




Five Side Glass Cabin

Type - A



Type - B



Type - A

Load		Car Inside				Left Well				Entrance
Person	Kgs.	A	B	J	G	C	D	F	H	E
8	544	1000	1200	1250	600	2000	1225	1230	1000	800
10	680	1100	1300	1400	650	2200	1325	1330	1100	900
13	884	1200	1400	1550	700	2400	1425	1430	1100	1000
16	1068	1300	1500	1700	750	2800	1525	1530	1200	1200

Type - B


Load		Car Inside				Left Well				Entrance
Person	Kgs.	A	B	G	C	D	F	H	E	
6	408	1000	1100	200	1800	1250	1230	470	700	
8	544	1150	1200	200	2000	1380	1350	520	800	
10	680	1250	1300	250	2200	1450	1480	580	900	
13	884	1400	1400	300	2400	1550	1630	650	1000	
16	1068	1550	1500	350	2800	1780	1650	790	1200	



S.S. Round Glass Cabin



Powder Coted Round Glass Cabin






Passenger Elevator

Manual Door


Manual door elevators are durable by design and accurate by technology. We have a wide range of these elevators which are most reliable and designed to suit every construction requirement and provide best vertical transportation solutions, with trouble free performance and low maintenance cost.

These elevators are a perfect blend of Cost friendly and robust performance elevator applications. They have an excellent record of customer satisfaction.

Available Rated Speed	0.63 / 1.0, / 1.5 / 2 MPS
Max Travel Height	66 M
Available Rated Capacity	272 to 1360 Kgs
Max Passengers	04 to 20 Passengers




COLLAPSIBLE DOOR LANDING



Hoistway Machine Room Plan For Manual Door

Load		Lift Well		Car Inside		Entrance	Machine Room		
Person	Weight	Width	Depth	Width	Depth		Width	Depth	Height
In Kg.		A	B	C	D	E	F	G	H
4	272	1600	1250	1100	700	700	3000	3000	2500
5	340	1600	1300	1100	850	750	3000	3200	2500
6	408	1670	1370	1100	1000	750	3000	3500	2500
8	544	1800	1600	1300	1100	750	3200	3500	2500
10	680	1850	1800	1350	1300	1000	3500	4000	2500
13	884	2500	1600	2000	1100	1000	4000	4200	2500
16	1088	2500	1800	2000	1300	1000	4500	4800	2500
20	1360	2500	2050	2000	1550	1000	5000	5000	2500





Passenger Elevator


Auto Door

Automatic doors at grocery stores and office buildings mainly exist for convenience. The automatic doors in an elevator, on the other hand, are absolutely essential – they keep people from falling down an open shaft.

Elevators use two different sets of doors: doors on the cars and doors opening into the elevator shaft. The doors on the cars are operated by an electric motor, which in turn is operated by the elevator computer.






Available Rated Speed	0.63 / 1.0, / 1.5 / 2 MPS
Max Travel Height	66 M
Available Rated Capacity	272 to 1360 kgs.
Max Person	04 to 20 Passengers



Top grade door machine system

Fully computerized VVVF closed-loop control mode fulfills the smooth operation. It needs no position switch. Internal self-tuning function records various floor door widths by memory. It ensures the accurate and proper door-opening.



Load		Car Inside			Lift Well		Entrance		Pit	Overhead
Person	Kgs	Width	Depth	Height	Width	Depth	Width	Height	Depth	Height
6	408	1100	1000	2150	1850	1400	700	2000	1600	4800
8	544	1100	1300	2300	1950	1700	800	2000	1600	4800
10	680	1300	1350	2300	2050	1750	800	2000	1600	4800
13	884	1300	1700	2300	2100	2100	900	2000	1600	4800
16	1088	1500	1750	2300	2350	2150	1000	2000	1600	4800
20	1360	1500	2000	2300	2350	2400	1000	2000	1600	4800

Above dimension are default / indicative



Can Save Time for Quick Rescue

- The Hospital Elevator is designed Especially for Patient Vertical Transportation in Hospital.
- In Elevator Cabin Wheelchair & Stretcher Can be Accommodated.
- No Jerk is experienced at the Starting & Stopping of Elevator.
- Size of Elevator Cabin & Doors can be Adjustable as Availability of Hoistway.
- Elevator Car with two Opposite Side Opening is Possible, if required.
- Cabin is washable with Wet Cloth.



Available Rated Speed	0.63 / 1 MPS
Max Travel Height	66 M
Available Rated Capacity	544 to 1768 Kgs
Max Passengers	08 to 26 Passengers



Smooth and
Comfortable



A mechanical safety device with a micro-switch reverses closing doors if there is physical contact with a passenger or an object.



Section : X-X - Lift Well

Capacity		Shaft W	Shaft D	Car W	Car D	Shaft W	Shaft D	Car W	Car D	Entrance
Person	KG.	A	B	C	D	A	B	C	D	E
10	680	1900	3000	1000	2400	1700	3000	1000	2400	700
15	1020	1900	3000	1000	2400	1700	3000	1000	2400	800
20	1360	2300	3000	1300	2400	1950	3000	1300	2400	900
26	1768	2600	3000	1600	2400	2100	3000	1600	2400	1000

Automatic Telescopic Door




Goods Elevator

Save Valuable Time as
Well As Energy

Special Features:

- Goods Lifts are amalgamation of Cranes and lift technology.
- Mechanisms Mounted on Fabricated Frame
- All Door entries fitted with collapsible doors.
- Cabin height not less than 2100mm.
- Cabin floors are covered with chequer plate.
- If one rope fails another rope holds the cabin from falling.
- If any gate is opened Goods Lift Will not operate.
- All floor doors are fitted With limit switches.

Available Rated Speed 0.50 / 1.00 / 1.50 MPS
Max Travel Height 66 M
Available Rated Capacity 500 to 3000 Kgs



Aluminum Checker Plate





M.S. Checker Plate



Heavy Duty Traction Machine



Accurate Leveling



Load	Lift Well		Car Inside		Entrance		Machine Room		UPTO 0.7 M / SEC.	
Weight	Width		Depth	Width	Depth	Width	Depth	Height	Pit	O.H.
IN KG	A	B	C	D	E	F	G	H	K	M
500	1900	1500	1100	1200	750	3000	3800	2500	1600	4800
1000	2300	2100	1400	1800	1000	3000	4000	2500	1600	4800
1500	2600	2300	1700	2000	1250	3200	4200	2500	1600	4800
2000	2600	2800	1700	2500	1500	3200	4200	2500	1600	4800
2500	2900	2800	2000	2500	1500	3500	4400	2500	1600	4800
3000	2900	3300	2000	3000	2000	3500	4500	2500	1600	4800
4000	3400	3300	2500	3000	2000	4000	4600	2500	1600	4800
5000	3400	3900	2500	3600	2500	4500	4500	2500	1600	4800

All Dimension are in mm. This is General Data, without notice.




MRL Elevator

Machine Roomless Elevator



Less Space Less Energy More Flexibility

Brings you a revolutionary concept in the field of elevators to give you absolute freedom in designing-MRL-Machine Room Less Elevators. Our exclusive Machine room less elevators brings aesthetic enhancements for your structure.

Available Rated Speed	1.00 / 1.50 / 2 MPS
Max Travel Height	66 M
Available Rated Capacity	340 to 1768 Kgs
Max Passengers	05 to 26 Person



New generation permanent magnet synchronous gearless traction machine



Construction Parameters

Capacity		Car Inside			Lift Well		Clear Entrance	Clear Opening At Landing
Person	KGS	A	B	C	D	E	F Auto Door	F Manual Telescopic
6	408	1200	900	1800	1400	700	780 / 2100	1450 / 2350
8	544	1300	1100	1900	1600	800	880 / 2100	1600 / 2350
10	680	1300	1300	1900	1800	800	880 / 2100	1600 / 2350
13	884	1600	1400	2200	1900	900	980 / 2100	1700 / 2350

- Above dimension may vary as per different types of and equipments.
- All dimensions are in mm.



Home Elevator

Luxury and Convenience in Your Home


Home Elevator is designed to meet vertical transportation needs in private bungalows. It is the ideal solution for elderly and impaired persons who can finally move autonomously and free from stairs.

It is a modern product, designed and manufactured to meet a wide range of needs from the garage to the roof, you can move effortlessly up to 4 floors.

Available Rated Speed	0.30 / 0.63 MPS
Max Travel Height	12 M
Available Rated Capacity	300 to 450 Kgs
Max Passengers	4 to 6 Passengers

Main feature and benefits :

- Runs with single phase power supply.
- Required very compact overhead space and pit area.
- Saves up 40% energy compared to hydraulic elevator.
- Noiseless and vibration free.
- Easy to install and maintain.



Mini Gearless Machine



Save Energy




Low Noise



Comfortable

HOISTWAY ELEVATION PLAN



Door Operation	Load		Lift Well		Car Inside		Entrance	Speed	Pit	Over Head
	Persons	KGS	C	D	A	B	E	(MPS)		
Manual Door	3	204	1100	1200	810	700	700	0.3	550	3100
Manual Door	4	272	1300	1400	800	1200	700	0.3	550	3100
Auto Door	3	204	1250	1250	810	700	700	0.3	550	3100
Auto Door	4	272	1300	1600	850	1150	700	0.3	550	3100

Note : This Is Our Standard Data, If other Special Requirement Please Contact us.



Car Elevator

The Most Reliable Parking Assistants

Car elevators help to alleviate the problems of finding sufficient parking space in busy areas, and save on costly land in commercial space.

These lifts smoothly transport vehicles to the tops of building, or to basements and showrooms.

They are carefully engineered for independent access of vehicles in private homes or multi-family residences where space is valuable.

www.shriramelevators.in





Available Rated Speed 0.30 / 0.50 MPS
Max Travel Height 30 M
Available Rated Capacity 2500 to 4000 Kgs



Bi-Partical Door

Description	Vertical Transportation for Cars/ LMVs
Segment	Industrial applications & Car Parks
Max. travel (m)	100 (Solutions available for higher travel)
Max. load (kg)	500 - 5000 Kg (Solutions available for higher capacities)
Max. speed (m/s)	0.5 mps (Solutions available for other speeds)




Different Type Car Parking Lift



Two Car Parking System



Car Puzzle Parking



Electric Scissor Car Lift






Hydraulic Elevator For Low Rise

Looking for a low-maintenance elevator Hydraulic elevator provide the advantages of being relatively inexpensive, safe and easy to maintain. They're very convenient and cost-effective solution for low-rise buildings with low traffic.

Hydraulic elevators have been rated the safest option for home elevators. They boast superb user friendliness and easy access machine room located at the basement. Once they are put in place, hydraulic elevators provide the smoothest rides possible.

Available Rated Speed	0.30 MPS
Max Travel Height	30 M
Available Rated Capacity	204 to 408 Kgs
Max Passengers	3 to 6 Passengers



It is a directly acting suspension with a simple or split piston.
It is the simplest solution of suspension for any load.



Service Goods Lift

Persons	Capacity Kg	Car-W (A)	Car-D (B)	Shaft-W (C)	Shaft-D (D)
3	225	800	1100	1500	1500
4	300	850	1050	1550	1550
5	375	1000	1200	1600	1600
6	450	1100	1250	1700	1700
8	600	1200	1500	1700	1800
10	750	1200	1700	1700	2000
12	900	1300	1800	1900	2100
15	1125	1300	2200	2000	2500
20	1500	1400	2500	2100	2800
24	1800	1500	2500	2200	2800

COP & LOP



Landing Operating Panel



EL 03 COP - LOP



SM : GRAND COP-LOP



A wide variety of operating panels for lifts with great flexibility in special construction.

Display of Calling Box



Vertical Display Effect



Horizontal Display Effect



TFT Color Display



Monochrome



ET-02C



ET-02L



SM : I TOUCH White COP-LOP



Push Button



SM : Classic COP-LOP



SM : I TOUCH Black COP-LOP





Green Installment Saving Environment Friendly



Save Energy



Low Noise



Comfortable



Gearless Traction Machine



MG1-127L
Gearless Machine



MRL Gearless Machine




Mini Gearless Machine

Lift Duty Reduction Geared Machine Units



Montanari Heavy Duty
Traction Geared Machine



M67
Geared Traction Machine




CAULDRON - 135N
Geared Traction Machine

Controller

The safe and More Energy-Saving Integrated control



Traction MR Geared Controller



STEP
Elevator Parallel
Integrated Controller



HEDEFSAN
CONTROLLER with ARD



STEP
Elevator Serial
Integrated Controller



+91 9817086224 , 9882986224



shriramelevator901@gmail.com, pawan@shriramelevators.com



Ward no. 01 Near Sirmaur Remedies Pvt. Ltd. Kiyarda Paonta Sahib. Distt.-Sirmaur(H.P.)-17302

www.shriramelevators.com